

Dosage Charts

Acetaminophen Dosage

		Infant's Concentrated Drops 80mg/0.8mL	Children's Suspension Liquid 160mg/5mL	Children's Soft Chewable Tablets 80mg each	Junior Strength Chewable Tablets 160mg each
Weight	Age	Dropperful (Use dropper)	Teaspoon	Tablet	Tablet
8-11 lbs	2-4 mos	1/2=(.4mL)	¼ tsp		
12-17 lbs	4-11 mos	1=(0.8 mL)	½ tsp.		
18-23 lbs	12-23 mos	1 ½=(0.8 + 0.4 mL)	¾ tsp.		
24-35 lbs	2-3 yrs	2=(0.8 + 0.8 mL)	1 tsp.	2	
36-47 lbs	4-5 yrs		1½ tsp.	3	
48-59 lbs	6-8 yrs		2 tsp.	4	2
60-71 lbs	9-10 yrs		2 ½ tsp.	5	2 ½
72-95 lbs	11 yrs		3 tsp.	6	3
96 lbs & over	12 yrs				4

Please note: One dose lasts 4 hours. Do not give >5 doses in 24 hours.

Ibuprofen Dosage

		Infant's Ibuprofen Concentrated Drops 50mg/1.25mL	Children's Ibuprofen Suspension 100mg/5mL	Children's Soft Chewable Tablets 50mg each	Junior Strength Chewable Tablets 100mg each	Junior Strength Ibuprofen Caplets 100mg
Weight	Age	Dropperful (Use dropper)	Teaspoon	Tablet	Tablet	Caplet
8-11 lbs	2-4 mos	$\frac{1}{2}$ =(0.625 mL)	$\frac{1}{4}$ tsp			
12-17 lbs	4- 11 mos	1=(1.25 mL)	$\frac{1}{2}$ tsp			
18-23 lbs	12- 23 mos	1 $\frac{1}{2}$ =(1.875 mL)	$\frac{3}{4}$ tsp			
24-35 lbs	2-3 yrs	2=(2.5 mL)	1 tsp.	2		
36-47 lbs	4-5 yrs		1 $\frac{1}{2}$ tsp.	3		
48-59 lbs	6-8 yrs		2 tsp.	4	2	2
60-71 lbs	9- 10 yrs		2 $\frac{1}{2}$ tsp.	5	2 $\frac{1}{2}$	2 $\frac{1}{2}$
72-95 lbs	11 yrs		3 tsp.	6	3	3

Please Note: One dose lasts 6-8 hours.

Milliliter is abbreviated as mL; 5mL equals one teaspoon (tsp).

- Don't use household teaspoons, which can vary in size.
- Aspirin should not be used in children to treat fever or pain.
- Do not use in infants less than 2months